FIGURE 1. Late (≥ 1 -year) mortality among patients randomized to off-pump coronary artery bypass grafting without cardiopulmonary bypass (OPCAB) versus conventional coronary artery bypass grafting with cardiopulmonary bypass (ONCAB). BBS, Best Bypass Surgery trial; BHACAS, Beating Heart Against Cardioplegic Arrest Study; CI, confidence interval; MASS, Medicine, Angioplasty, or Surgery Study; M-H, Mantel-Haenszel; PROMISS, Prospective Randomized Comparison of Off-Pump and On-Pump Multi-vessel Coronary Artery Bypass Surgery trial; ROOBY, Randomized On/Off Bypass trial; SMART, Surgical Management of Arterial Revascularization Therapies trial; df , degrees of freedom.

because late mortality reduction must imply the greatest clinical benefit among patients undergoing coronary artery bypass grafting.

Hisato Takagi, MD, PhD
Masafumi Matsui, MD
Takuya Umemoto, MD, PhD
Department of Cardiovascular
Surgery
Shizuoka Medical Center
Shizuoka, Japan

References

- Patel NN, Angelini GD. Off-pump coronary artery bypass grafting: for the many or the few? *J Thorac Cardiovasc Surg.* 2010;140:951-3, 953.e1.
- Møller CH, Penninga L, Wetterslev J, Steinbrüchel DA, Gluud C. Clinical outcomes in randomized trials of off- vs. on-pump coronary artery bypass surgery: systematic review with meta-analyses and trial sequential analyses. *Eur Heart J.* 2008;29:2601-16.
- Feng ZZ, Shi J, Zhao XW, Xu ZF. Meta-analysis of on-pump and off-pump coronary arterial revascularization. *Ann Thorac Surg.* 2009;87:757-65. Erratum in: *Ann Thorac Surg.* 2009;87:2008.
- Shroyer AL, Grover FL, Hattler B, Collins JF, McDonald GO, Kozora E, et al. On-pump versus off-pump coronary-artery bypass surgery. *N Engl J Med.* 2009;361:1827-37.
- Takagi H, Matsui M, Umemoto T. Off-pump coronary artery bypass may increase late mortality: a meta-analysis of randomized trials. *Ann Thorac Surg.* 2010;89:1881-8.

doi:10.1016/j.jtcvs.2010.10.055

Reply to the Editor:

Supplemental material is available online.

We read with interest the letter by Takagi and colleagues, who suggest that coronary artery bypass graft surgery without cardiopulmonary bypass (OPCAB) is associated with adverse long-term outcomes based on a recent systematic review they¹ have performed and recommend that the preferred technique for non-high-risk patients should be coronary artery bypass graft surgery with cardiopulmonary bypass (ONCAB).

We, however, question the validity of their systematic review, which included 11 randomized controlled trials (RCTs) evaluating long-term outcomes in more than 4000 low-risk patients for the following reasons. First, 7 of the 11 RCTs (please see references E1-E7) included in the meta-analysis carry moderate to high risk of bias according to the Cochrane system for the evaluation of the methodologic quality of studies. Removal of

these studies reveals comparable mortality rates (risk ratio, 1.276; 95% confidence intervals, 0.858–1.898; $P = .229$) between OPCAB and ONCAB surgery. Second, the meta-analysis is heavily weighted by the Randomized On/Off Bypass (ROOBY) trial, which we have already critically analyzed and have shown to have several flaws. Removal of this trial from the meta-analysis demonstrates no difference between the 2 surgical techniques (odds ratio, 1.344; 95% confidence intervals, 0.952–1.896).¹

Conversely and more fundamentally, though, if we consider the findings of Takagi and colleagues to be robust, we may conclude that OPCAB is not for all surgeons and patients. Numerous observational studies from centers specializing in OPCAB demonstrate trends toward or significant reductions in mortality in all groups of patients.²⁻⁵ OPCAB surgeons achieved anastomotic numbers comparable with ONCAB surgeons in these studies,⁴ and this is in contrast to RCTs performed to date. Results of the CRISP trial (Coronary artery grafting in high RISK patients randomized to off Pump or on pump

surgery) (ISRCTN 29161170), which is randomizing high-risk patients (EuroSCORE > 5) to either an expert OPCAB or ONCAB surgeon, are therefore eagerly awaited.

Until then, the current available best evidence demonstrates that OPCAB is a safe alternative to ONCAB with similar short- and long-term outcomes in low-risk patients.

Nishith N. Patel, BSc, MB BCh, MRCS
Gianni D. Angelini, MD, MCh, FRCS
Department of Cardiac Surgery
British Heart Foundation
Bristol Heart Institute
University of Bristol
Bristol Royal Infirmary
Bristol, United Kingdom

References

1. Takagi H, Matsui M, Umemoto T. Off-pump coronary artery bypass may increase late mortality: a meta-analysis of randomized trials. *Ann Thorac Surg*. 2010;89:1881-8.
2. Hannan EL, Wu C, Smith CR, Higgins RS, Carlson RE, Culliford AT, et al. Off-pump versus on-pump coronary artery bypass graft surgery: differences in short-term outcomes and in long-term mortality and need for subsequent revascularization. *Circulation*. 2007;116:1145-52.
3. Wijeyesundera DN, Beattie WS, Djaiani G, Rao V, Borger MA, Karkouti K, et al. Off-pump coronary artery surgery for reducing mortality and morbidity: meta-analysis of randomized and observational studies. *J Am Coll Cardiol*. 2005;46:872-82.
4. Al-Ruzzeh S, Nakamura K, Athanasiou T, Modine T, George S, Yacoub M, et al. Does off-pump coronary artery bypass (OPCAB) surgery improve the outcome in high-risk patients? a comparative study of 1398 high-risk patients. *Eur J Cardiothorac Surg*. 2003;23:50-5.
5. Puskas JD, Thourani VH, Kilgo P, Cooper W, Vassiliades T, Vega JD, et al. Off-pump coronary artery bypass disproportionately benefits high-risk patients. *Ann Thorac Surg*. 2009;88:1142-7.

doi:10.1016/j.jtcvs.2011.01.044

THOMAS W. SHIELDS, 1922–2010 To the Editor:

Dr Shields, instantly recognizable throughout the world for his definitive 7 editions of the textbook *General Thoracic Surgery*,¹⁻⁷ died October 7, 2010, at the age of 88. He was born in 1922 in Ambridge, Pennsylvania. He attended Kenyon College in Gambier, Ohio, graduating in 1943. He graduated from Temple Medical School in Philadelphia in 1947. His earliest career interest was in cancer, and he spent a year in the cancer ward of Deaconess (now Beth Israel Deaconess) Hospital in Boston. It was in Boston where he met his wife, Ann, of 62 years. He moved to Northwestern University to complete his training and was a Kanavel research fellow in 1951. After serving in the Korean War, he joined the staff of the Lakeside Research Veterans Administration Hospital, where he became Chief of Surgery and Professor of Surgery at Northwestern University.

He was one of the few pioneering surgeons who from the beginning of his career through the new millennium focused on noncardiac thoracic surgery. His academic investigations centered on lung cancer and its lymphatic drainage. He taught many generations of students and residents in surgery, emphasizing precision in communication and economy of practice. He taught and advocated the use of pulmonary segmentectomy, whenever possible.

Dr Shields was a prolific writer, serving as an editor of *Surgery, Gynecology and Obstetrics*, the forerunner of the *Journal of the American Col-*

lege of Surgeons, and as a member of the editorial board of the *Annals of Thoracic Surgery*. He edited several books, including *Mediastinal Surgery*⁸ and *Bronchial Carcinoma*,⁹ but his most popular was *General Thoracic Surgery*. He espoused the concept of global academic development in thoracic surgery and always attempted to give as many thoracic surgeons as possible, both from the United States and from abroad, a voice in his books. After retirement, he continued to lecture around the world. As evidenced by his election to Phi Beta Kappa, Alpha Omega Alpha, and Sigma Xi, he was a scholar. To thoracic surgeons everywhere, he was a staunch advocate for evidence-based practice and journalistic integrity.

Joseph LoCicero III, MD
Emeritus Professor of Surgery SUNY
Downstate
Mobile, Ala

References

1. Shields TW, ed. *General thoracic surgery*. Philadelphia, PA: Lea & Febiger; 1972.
2. Shields TW, ed. *General thoracic surgery*. 2nd ed. Philadelphia, PA: Lea & Febiger; 1983.
3. Shields TW, ed. *General thoracic surgery*. 3rd ed. Philadelphia, PA: Lea & Febiger; 1989.
4. Shields TW, LoCicero J III, Ponn RL, eds. *General thoracic surgery*. 3th ed. Baltimore, MD: Williams & Wilkins; 1994.
5. Shields TW, LoCicero J III, Ponn RL, eds. *General thoracic surgery*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2000.
6. Shields TW, LoCicero J III, Ponn RB, Rusch VW, eds. *General thoracic surgery*. 6th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2005.
7. Shields TW, LoCicero J III, Reed CE, Feins RH, eds. *General thoracic surgery*. 7th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2009.
8. Shields TW, ed. *Mediastinal surgery*. Philadelphia, PA: Lea & Febiger; 1991.
9. Shields TW. *Bronchial carcinoma*. Springfield, IL: Thomas; 1974.

doi:10.1016/j.jtcvs.2011.01.061

E-References

- E1. Karolak W, Hirsch G, Buth K, Legare JF. Medium-term outcomes of coronary artery bypass graft surgery on pump versus off pump: results from a randomized controlled trial. *Am Heart J*. 2007;153:689-95.
- E2. Lingaas PS, Hol PK, Lundblad R, Rein KA, Mathisen L, Smith HJ, et al. Clinical and radiologic outcome of off-pump coronary surgery at 12 months follow-up: a prospective randomized trial. *Ann Thorac Surg*. 2006;81:2089-95.
- E3. Widimsky P, Straka Z, Stros P, Jirasek K, Dvorak J, Votava J, et al. One-year coronary bypass graft patency: a randomized comparison between off-pump and on-pump surgery angiographic results of the PRAGUE-4 trial. *Circulation*. 2004;110:3418-23.
- E4. Muneretto C, Bisleri G, Negri A, Manfredi J, Metra M, Nodari S, et al. Off-pump coronary artery bypass surgery technique for total arterial myocardial revascularization: a prospective randomized study. *Ann Thorac Surg*. 2003;76:778-82; discussion 83.
- E5. Lee JD, Lee SJ, Tsushima WT, Yamauchi H, Lau WT, Popper J, et al. Benefits of off-pump bypass on neurologic and clinical morbidity: a prospective randomized trial. *Ann Thorac Surg*. 2003;76:18-25; discussion 25-6.
- E6. Czerny M, Baumer H, Kilo J, Zuckermann A, Grubhofer G, Chevtchik O, et al. Complete revascularization in coronary artery bypass grafting with and without cardiopulmonary bypass. *Ann Thorac Surg*. 2001;71:165-9.
- E7. Shroyer AL, Grover FL, Hattler B, Collins JF, McDonald GO, Kozora E, et al. On-pump versus off-pump coronary-artery bypass surgery. *N Engl J Med*. 2009;361:1827-37.